

Übersichtsartikel

- Kohlschütter, Alfried; Goebel, Hans H.
Die Neuronalen Ceroid-Lipofuszinosen: Neurodegenerative Krankheiten des Kindesalters auf dem Weg zur Aufklärung.
Deutsches Ärzteblatt 2005, Jg. 102, Heft 5.
<http://www.aerzteblatt.de/v4/archiv/artikel.asp?id=8614>
- Goebel HH, Wisniewski KE.
Current state of clinical and morphological features in human NCL.
Brain Pathol. 2004 Jan;14(1):61-9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14997938&query_hl=78
- Mole SE.
The genetic spectrum of human neuronal ceroid-lipofuscinoses.
Brain Pathol. 2004 Jan;14(1): 70-6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14997939&query_hl=23
- Meikle PJ, Hopwood JJ.
Lysosomal storage disorders: emerging therapeutic options require early diagnosis.
Eur J Pediatr. 2003 Dec;162 Suppl 1:S34-7. Epub 2003 Nov 11.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14610674&query_hl=27
- Mitchison HM, Mole SE.
Neurodegenerative disease: the neuronal ceroid lipofuscinoses (Batten disease).
Curr Opin Neurol. 2001 Dec; 14(6): 795-803.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=11723391&query_hl=14
- Zhong N.
Neuronal ceroid lipofuscinoses and possible pathogenic mechanism.
Mol Genet Metab. 2000 Sep-Oct; 71(1-2): 195-206.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=11001811&query_hl=78

Infantile NCL

- Griffey M, Bible E, Vogler C, Levy B, Gupta P, Cooper J, Sands MS.
Adeno-associated virus 2-mediated gene therapy decreases autofluorescent storage material and increases brain mass in a murine model of infantile neuronal ceroid lipofuscinosis.
Clin Biochem. 2005 May; 38(5): 492-4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15820783&query_hl=34
- Bible E, Gupta P, Hofmann SL, Cooper JD.
Regional and cellular neuropathology in the palmitoyl protein thioesterase-1 null mutant mouse model of infantile neuronal ceroid lipofuscinosis.
Neurobiol Dis. 2004 Jul; 16(2): 346-59.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15193291&query_hl=48

- Salonen T, Heinonen-Kopra O, Vesa J, Jalanko A.
Neuronal trafficking of palmitoyl protein thioesterase provides an excellent model to study the effects of different mutations which cause infantile neuronal ceroid lipofuscinosis.
Mol Cell Neurosci. 2001 Aug; 18(2): 131-40.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=11520175&query_hl=51

spätinfantile NCL

- Kohan R, de Halac IN, Tapia Anzolini V, Cismondi A, Oller Ramirez AM, Paschini Capra A, de Kremer RD.
Palmitoyl Protein Thioesterase1 (PPT1) and Tripeptidyl Peptidase-I (TPP-I) are expressed in the human saliva. A reliable and non-invasive source for the diagnosis of infantile (CLN1) and late infantile (CLN2) neuronal ceroid lipofuscinoses.
Clin Biochem. 2005 May; 38(5): 492-4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15820783&query_hl=34
- Pineda-Trujillo N, Cornejo W, Carrizosa J, Wheeler RB, Munera S, Valencia A, Agudelo-Arango J, Cogollo A, Anderson G, Bedoya G, Mole SE, Ruiz-Linares A.
A CLN5 mutation causing an atypical neuronal ceroid lipofuscinosis of juvenile onset.
Neurology. 2005 Feb 22; 64(4): 740-2.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15728307&query_hl=23
- Mole SE, Michaux G, Codlin S, Wheeler RB, Sharp JD, Cutler DF.
CLN6, which is associated with a lysosomal storage disease, is an endoplasmic reticulum protein.
Exp Cell Res. 2004 Aug 15; 298(2): 399-406.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15265688&query_hl=23
- Sharp JD, Wheeler RB, Parker KA, Gardiner RM, Williams RE, Mole SE.
Spectrum of CLN6 mutations in variant late infantile neuronal ceroid lipofuscinosis.
Hum Mutat. 2003 Jul; 22(1): 35-42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12815591&query_hl=23
- Steinfeld R, Heim P, von Gregory H, Meyer K, Ullrich K, Goebel HH, Kohlschütter A.
Late infantile neuronal ceroid lipofuscinosis: quantitative description of the clinical course in patients with CLN2 mutations.
Am J Med Genet. 2002 Nov 1; 112(4): 347-54.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12376936&query_hl=34
- Kurachi Y, Oka A, Itoh M, Mizuguchi M, Hayashi M, Takashima S.
Distribution and development of CLN2 protein, the late-infantile neuronal ceroid lipofuscinosis gene product.
Acta Neuropathol (Berl). 2001 Jul; 102(1): 20-6.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=11547947&query_hl=37

juvenile NCL

- Phillips SN, Benedict JW, Weimer JM, Pearce DA.
CLN3, the protein associated with batten disease: structure, function and localization.
J Neurosci Res. 2005 Mar 1; 79(5): 573-83.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15657902&query_hl=28
- Ramirez-Montealegre D, Chattopadhyay S, Curran TM, Wasserfall C, Pritchard L, Schatz D, Petitto J, Hopkins D, She JX, Rothberg PG, Atkinson M, Pearce DA.
Autoimmunity to glutamic acid decarboxylase in the neurodegenerative disorder Batten disease.
Neurology. 2005 Feb 22; 64(4): 743-5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15728308&query_hl=18
- Lemman AR, Pearce DA, Rothberg PG.
Gene symbol: CLN3. Disease: juvenile neuronal ceroid lipofuscinosis (Batten disease).
Hum Genet. 2005 Feb; 116(3): 236.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15818814&query_hl=20
- Pontikis CC, Cella CV, Parihar N, Lim MJ, Chakrabarti S, Mitchison HM, Mobley WC, Rezaie P, Pearce DA, Cooper JD.
Late onset neurodegeneration in the Cln3^{-/-} mouse model of juvenile neuronal ceroid lipofuscinosis is preceded by low level glial activation.
Brain Res. 2004 Oct 15; 1023(2): 231-42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15374749&query_hl=12
- Mitchison HM, Lim MJ, Cooper JD.
Selectivity and types of cell death in the neuronal ceroid lipofuscinoses.
Brain Pathol. 2004 Jan; 14(1): 86-96
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14997941&query_hl=14
- Sappington RM, Pearce DA, Calkins DJ.
Optic nerve degeneration in a murine model of juvenile ceroid lipofuscinosis.
Invest Ophthalmol Vis Sci. 2003 Sep; 44(9): 3725-31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12939285&query_hl=20
- Haskell RE, Carr CJ, Pearce DA, Bennett MJ, Davidson BL.
Batten disease: evaluation of CLN3 mutations on protein localization and function.
Hum Mol Genet. 2000 Mar 22; 9(5): 735-44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=10749980&query_hl=32

- Kremmidiotis G, Lensink IL, Bilton RL, Woollatt E, Chataway TK, Sutherland GR, Callen DF.
The Batten disease gene product (CLN3p) is a Golgi integral membrane protein.
Hum Mol Genet. 1999 Mar; 8(3): 523-31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=9949212&query_hl=29

Klinik

Psychoorganisches Syndrom

- Backman ML, Santavuori PR, Aberg LE, Aronen ET.
Psychiatric symptoms of children and adolescents with juvenile neuronal ceroid lipofuscinosis.
J Intellect Disabil Res. 2005 Jan; 49(Pt 1): 25-32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15634309&query_hl=1

Epilepsie

- Vigevano F.
Levetiracetam in pediatrics.
J Child Neurol. 2005 Feb; 20(2): 87-93.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15794171&query_hl=37
- Gupta R, Appleton R.
Corticosteroids in the management of the paediatric epilepsies.
Arch Dis Child. 2005 Apr; 90(4): 379-84.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15781928&query_hl=37

Lipofuszin

- Terman A, Brunk UT.
Lipofuscin
Int J Biochem Cell Biol. 2004 Aug; 36(8): 1400-4.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15147719&query_hl=85
- Keller JN, Dimayuga E, Chen Q, Thorpe J, Gee J, Ding Q.
Autophagy, proteasomes, lipofuscin, and oxidative stress in the aging brain.
Int J Biochem Cell Biol. 2004 Dec;36(12):2376-91.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15325579&query_hl=85
- Wolf G.
Lipofuscin and macular degeneration.
Nutr Rev. 2003 Oct; 61(10): 342-6.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14604266&query_hl=85
- Brunk UT, Terman A.

Lipofuscin: mechanisms of age-related accumulation and influence on cell function.

Free Radic Biol Med. 2002 Sep 1; 33(5): 611-9.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12208347&query_hl=85

Lysosomale Speicherkrankheiten

Fabry

- Banikazemi M, Ullman T, Desnick RJ.
Gastrointestinal manifestations of Fabry disease: Clinical response to enzyme replacement therapy.
Mol Genet Metab. 2005 Jun 3; [Epub ahead of print]
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15939645&query_hl=63
- Schaefer E, Mehta A, Gal A.
Genotype and phenotype in Fabry disease: analysis of the Fabry Outcome Survey.
Acta Paediatr Suppl. 2005 Mar; 94(447): 87-92; discussion 79.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15895718&query_hl=63
- Banerjee TK.
Fabry disease with special reference to neurological manifestations.
Eur Rev Med Pharmacol Sci. 2004 Nov-Dec; 8(6): 275-81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15745387&query_hl=63

Gaucher

- Jmoudiak M, Futerman AH.
Gaucher disease: pathological mechanisms and modern management.
Br J Haematol. 2005 Apr; 129(2): 178-88.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15813845&query_hl=67
- Andersson HC, Charrow J, Kaplan P, Mistry P, Pastores GM, Prakesh-Cheng A, Rosenbloom BE, Scott CR, Wappner RS, Weinreb NJ; International Collaborative Gaucher Group U.S. Regional Coordinators.
Individualization of long-term enzyme replacement therapy for Gaucher disease.
Genet Med. 2005 Feb; 7(2): 105-10.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15714077&query_hl=67
- Sidransky E.
Gaucher disease: complexity in a "simple" disorder.
Mol Genet Metab. 2004 Sep-Oct; 83(1-2): 6-15.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15464415&query_hl=8

Niemann-Pick

- Li H, Repa JJ, Valasek MA, Beltroy EP, Turley SD, German DC, Dietschy JM.

Molecular, anatomical, and biochemical events associated with neurodegeneration in mice with Niemann-Pick type C disease.

J Neuropathol Exp Neurol. 2005 Apr; 64(4): 323-33.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15835268&query_hl=55

- Solomon D, Winkelman AC, Zee DS, Gray L, Buttner-Ennever J.
Niemann-pick type C disease in two affected sisters: ocular motor recordings and brain-stem neuropathology.
Ann N Y Acad Sci. 2005 Apr; 1039: 436-45.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15826996&query_hl=55
- Chang TY, Reid PC, Sugii S, Ohgami N, Cruz JC, Chang CC.
Niemann-pick type C disease and intracellular cholesterol trafficking.
J Biol Chem. 2005 Jun 3; 280(22): 20917-20. Epub 2005 Apr 14.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15831488&query_hl=55

Pompe

- Sun B, Zhang H, Franco LM, Brown T, Bird A, Schneider A, Koeberl DD.
Correction of glycogen storage disease type II by an adeno-associated virus vector containing a muscle-specific promoter.
Mol Ther. 2005 Jun; 11(6): 889-98.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15922959&query_hl=59
- Klinge L, Straub V, Neudorf U, Schaper J, Bosbach T, Gorlinger K, Wallot M, Richards S, Voit T.
Safety and efficacy of recombinant acid alpha-glucosidase (rhGAA) in patients with classical infantile Pompe disease: results of a phase II clinical trial.
Neuromuscul Disord. 2005 Jan; 15(1): 24-31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15639117&query_hl=59

Sandhoff

- Hendriksz CJ, Corry PC, Wraith JE, Besley GT, Cooper A, Ferrie CD.
Juvenile Sandhoff disease--nine new cases and a review of the literature.
J Inherit Metab Dis. 2004; 27(2): 241-9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15159655&query_hl=73

Vergleichbare Symptomatiken

Alzheimer

- Wisniewski T, Frangione B.
Immunological and anti-chaperone therapeutic approaches for Alzheimer disease.
Brain Pathol. 2005 Jan; 15(1): 72-7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15779239&query_hl=3

- Bloom FE, Reilly JF, Redwine JM, Wu CC, Young WG, Morrison JH.
Mouse models of human neurodegenerative disorders: requirements for medication development.
Arch Neurol. 2005 Feb; 62(2): 185-7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15710845&query_hl=3
- Wright AF.
Neurogenetics II: complex disorders.
J Neurol Neurosurg Psychiatry. 2005 May; 76(5): 623-31.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15834017&query_hl=3
- Bertram L, Tanzi RE.
The genetic epidemiology of neurodegenerative disease.
J Clin Invest. 2005 Jun; 115(6): 1449-57.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15931380&query_hl=8
- Snyder H, Wolozin B.
Pathological proteins in Parkinson's disease: focus on the proteasome.
J Mol Neurosci. 2004; 24(3): 425-42.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15655264&query_hl=8
- Zemke D, Majid A.
The potential of minocycline for neuroprotection in human neurologic disease.
Clin Neuropharmacol. 2004 Nov-Dec; 27(6): 293-8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15613934&query_hl=8
- Weiner WJ.
Initial treatment of Parkinson disease: levodopa or dopamine agonists.
Arch Neurol. 2004 Dec; 61(12): 1966-9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15596623&query_hl=8
- Stern MB.
Dopamine agonists modify the course of Parkinson disease.
Arch Neurol. 2004 Dec; 61(12): 1969-71.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15596624&query_hl=8

CI-Mutationen

- Kasper D, Planells-Cases R, Fuhrmann JC, Scheel O, Zeitz O, Ruether K, Schmitt A, Poet M, Steinfeld R, Schweizer M, Kornak U, Jentsch TJ.
Loss of the chloride channel CIC-7 leads to lysosomal storage disease and neurodegeneration.
EMBO J. 2005 Mar 9;24(5): 1079-91.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15706348&query_hl=50

- Jentsch TJ, Poet M, Fuhrmann JC, Zdebik AA.
Physiological functions of CLC Cl- channels gleaned from human genetic disease and mouse models.
Annu Rev Physiol. 2005; 67: 779-807.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15709978&query_hl=37
- Hubner CA, Jentsch TJ
Ion channel diseases.
Hum Mol Genet. 2002 Oct 1; 11(20): 2435-45.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12351579&query_hl=47

Retinitis pigmentosa

- Kalloniatis M, Fletcher EL.
Retinitis pigmentosa: understanding the clinical presentation, mechanisms and treatment options.
Clin Exp Optom. 2004 Mar; 87(2): 65-80.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15040773&query_hl=57
- Hims MM, Diager SP, Inglehearn CF.
Retinitis pigmentosa: genes, proteins and prospects.
Dev Ophthalmol. 2003; 37: 109-25.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12876833&query_hl=57
- Farrar GJ, Kenna PF, Humphries P.
On the genetics of retinitis pigmentosa and on mutation-independent approaches to therapeutic intervention.
EMBO J. 2002 Mar 1; 21(5): 857-64.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=11867514&query_hl=57

Therapieansätze

- Eto Y, Shen JS, Meng XL, Ohashi T.
Treatment of lysosomal storage disorders: cell therapy and gene therapy.
J Inherit Metab Dis. 2004; 27(3): 411-5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15190197&query_hl=54
- Desnick RJ.
Enzyme replacement and enhancement therapies for lysosomal diseases.
J Inherit Metab Dis. 2004; 27(3): 385-410.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15190196&query_hl=54

Gentherapie

- Harrower TP, Barker RA.
Is there a future for neural transplantation?
BioDrugs. 2004;18(3):141-53.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15161332&query_hl=8

- Patterson MC, Platt F.
Therapy of Niemann-Pick disease, type C.
Biochim Biophys Acta. 2004 Oct 11; 1685(1-3): 77-82.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15465428&query_hl=27
- Eberhardt O, Schulz JB.
Gene therapy in Parkinson's disease.
Cell Tissue Res. 2004 Oct; 318(1):243-60.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15322915&query_hl=91
- Rolling F.
Recombinant AAV-mediated gene transfer to the retina: gene therapy perspectives.
Gene Ther. 2004 Oct; 11 Suppl 1: S26-32.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15454954&query_hl=86
- Ioannou YA, Enriquez A, Benjamin C.
Gene therapy for lysosomal storage disorders.
Expert Opin Biol Ther. 2003 Aug; 3(5): 789-801.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12880379&query_hl=27
- Cheng SH, Smith AE.
Gene therapy progress and prospects: gene therapy of lysosomal storage disorders.
Gene Ther. 2003 Aug; 10(16): 1275-81.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12883523&query_hl=27
- D'Azzo A.
Gene transfer strategies for correction of lysosomal storage disorders.
Acta Haematol. 2003; 110(2-3): 71-85.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14583667&query_hl=27
- Bennett J.
Gene therapy for retinitis pigmentosa.
Curr Opin Mol Ther. 2000 Aug; 2(4): 420-5.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=11249772&query_hl=57

Stammzellen

- Haruta M.
Embryonic stem cells: potential source for ocular repair.
Semin Ophthalmol. 2005 Jan-Mar; 20(1): 17-23.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15804840&query_hl=86
- Kim SU.
Human neural stem cells genetically modified for brain repair in neurological disorders.
Neuropathology. 2004 Sep; 24(3): 159-71.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15484694&query_hl=8

- Smith LE.
Bone marrow-derived stem cells preserve cone vision in retinitis pigmentosa.
J Clin Invest. 2004 Sep; 114(6): 755-7.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15372096&query_hl=57
- Otani A, Dorrell MI, Kinder K, Moreno SK, Nusinowitz S, Banin E, Heckenlively J, Friedlander M.
Rescue of retinal degeneration by intravitreally injected adult bone marrow-derived lineage-negative hematopoietic stem cells.
J Clin Invest. 2004 Sep; 114(6): 765-74.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15372100

Trans-splicing

- Walsh CE.
New paradigms for gene transfer: RNA trans-splicing and small interfering RNA as therapeutic strategies.
Semin Hematol. 2004 Oct; 41(4): 297-302.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15508115&query_hl=67
- Pergolizzi RG, Crystal RG.
Genetic medicine at the RNA level: modifications of the genetic repertoire for therapeutic purposes by pre-mRNA trans-splicing.
C R Biol. 2004 Aug; 327(8): 695-709.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15506518&query_hl=67
- Mansfield SG, Chao H, Walsh CE.
RNA repair using spliceosome-mediated RNA trans-splicing.
Trends Mol Med. 2004 Jun; 10(6): 263-8.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=15177190&query_hl=67
- Reich SJ, Auricchio A, Hildinger M, Glover E, Maguire AM, Wilson JM, Bennett J.
Efficient trans-splicing in the retina expands the utility of adeno-associated virus as a vector for gene therapy.
Hum Gene Ther. 2003 Jan 1; 14(1): 37-44.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12573057&query_hl=67
- Rogers CS, Vanoye CG, Sullenger BA, George AL Jr.
Functional repair of a mutant chloride channel using a trans-splicing ribozyme.
J Clin Invest. 2002 Dec; 110(12): 1783-9.
http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=12488428&query_hl=67

Substratentzug

- Platt FM, Butters TD.

Substrate deprivation: a new therapeutic approach for the glycosphingolipid lysosomal storage diseases.

Expert Rev Mol Med. 2000 Feb 1; 2000: 1-17.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=14585134&query_hl=91

- Liu Y, Wada R, Kawai H, Sango K, Deng C, Tai T, McDonald MP, Araujo K, Crawley JN, Bierfreund U, Sandhoff K, Suzuki K, Proia RL.

A genetic model of substrate deprivation therapy for a glycosphingolipid storage disorder.

J Clin Invest. 1999 Feb; 103(4): 497-505.

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=pubmed&dopt=Abstract&list_uids=10021458&query_hl=91